


EF0109.010.13
EF0109.010.14

90° glas/muur
90° verre/mur

900 mm	50kg/2	0-20°	8 mm - 12 mm



EF0109.020.13
EF0109.020.14

90° glas/muur - met verlegde muurplaat
90° verre/mur - avec ailette décalée

900 mm	50kg/2	0-20°	8 mm - 12 mm



EF0109.030.13
EF0109.030.14

90° glas/glas
90° verre/verre

900 mm	50kg/2	0-20°	8 mm - 12 mm



EF0109.040.13
EF0109.040.14

180° glas/glas
180° verre/verre


900 mm	50kg/2	0-20°	8 mm - 12 mm

Tip!

Goed te combineren met de douchewand-
klemmen op pagina 8 en 9

Conseil:

ces articles se combinent bien avec les
pincés des pages 8 et 9



EF0201.010.13
EF0201.010.14

Glas/muur recht
Verre/mur



EF0201.020.13
EF0201.020.14


90° glas/muur
90° verre/mur



EF0201.030.13
EF0201.030.14


180° glas/muur
180° verre/mur





EF0201.040.13
EF0201.040.14

90° glas/glas
90° verre/verre




EF0201.050.13
EF0201.050.14

135° glas/glas
135° verre/verre



EF0201.060.13
EF0201.060.14

180° glas/glas
180° verre/verre



EF0801.010.2200

Afdichtingsprofiel voor douches - muur/
glas - kunststof - lengte 2200 mm
Profil d'étanchéité pour douches - verre/
mur - synthétique - longueur 2200 mm

