

Deurknoppen en -grepen

BOUTONS et POIGNÉES DE PORTE - KNOBS and HANDLES - KUGELGRIFFE und TÜRDRÜCKER



art. 5005

- Dubbele sferische deurknop. Diameter 63 mm.
- Paire de boutons sphériques. Diamètre 63 mm.
- Pair of spherical door knobs. Diameter 63 mm.
- Paar kugelförmige Türknöpfe. Durchmesser 63 mm.



art. 5006

- Dubbele deurknop. Diameter 60 mm.
- Paire de boutons. Diamètre 60 mm.
- Pair of door knobs. Diameter 60 mm.
- Paar Türknöpfe. Durchmesser 60 mm.



art. 5510
art. 5511

- Dubbele deurgreep. Aluminium. Hartafstand 300 mm.
- Paire de poignées. Aluminium. Entraxe 300 mm.
- Pair of handles. Aluminium. Centre distance 300 mm.
- Paar gerade Türdrücker. Aluminium. Achsenabstand 300 mm.



art. 5514
art. 5515

- Dubbele deurgreep. Aluminium. Hartafstand 900 mm.
- Paire de poignées. Aluminium. Entraxe 900 mm.
- Pair of handles. Aluminium. Centre distance 900 mm.
- Paar gerade Türdrücker. Aluminium. Achsenabstand 900 mm.



Deurgrepen

POIGNÉES DE PORTE - HANDLES - TÜRDRÜCKER



art. 5518

- Dubbele deurgreep. Aluminium.
Hartafstand 1800 mm.
- Paire de poignées. Aluminium.
Entraxe 1800 mm.
- Pair of handles. Aluminium.
Centre distance 1800 mm.
- Paar gerade Türdrücker. Aluminium.
Achsenabstand 1800 mm.



art. 5519

- Dubbele deurgreep. Aluminium.
Hartafstand 1800 mm.
- Paire de poignées. Aluminium.
Entraxe 1800 mm.
- Pair of handles. Aluminium.
Centre distance 1800 mm.
- Paar gerade Türdrücker. Aluminium.
Achsenabstand 1800 mm.



Deurgrepen

POIGNÉES DE PORTE - HANDLES - TÜRDRÜCKER



art. 5H01

- Dubbele deurgreep. Hartafstand 192 mm. RVS.
- Paire de poignées. Entraxe 192 mm. Inox.
- Pair of handles. Centre distance 192 mm. Stainless steel.
- Paar gerade Türdrücker. Achsenabstand 192 mm. Edelstahl.



art. 5H15

- Dubbele deurgreep. Hartafstand 900 mm. RVS.
- Paire de poignées. Entraxe 900 mm. Inox.
- Pair of handles. Centre distance 900 mm. Stainless steel.
- Paar gerade Türdrücker. Achsenabstand 900 mm. Edelstahl.



art. 5H03

- Dubbele deurgreep. Hartafstand 250 mm. RVS.
- Paire de poignées. Entraxe 250 mm. Inox.
- Pair of handles. Centre distance 250 mm. Stainless steel.
- Paar gerade Türdrücker. Achsenabstand 250 mm. Edelstahl.



art. 5011

- Dubbele deurgreep. Hartafstand 300 mm. Aluminium.
- Paire de poignées. Entraxe 300 mm. Aluminium.
- Pair of handles. Centre distance 300 mm. Aluminium.
- Paar gerade Türdrücker. Achsenabstand 300 mm. Aluminium.



art. 5H11

- Dubbele deurgreep. Hartafstand 300 mm. RVS.
- Paire de poignées. Entraxe 300 mm. Inox.
- Pair of handles. Centre distance 300 mm. Stainless steel.
- Paar gerade Türdrücker. Achsenabstand 300 mm. Edelstahl.



art. 5L01

- Dubbele deurgreep type L. Hartafstand 300x600 mm. Aluminium.
- Paire de poignées en L. Entraxe 300x600 mm. Aluminium.
- Pair of handles L. Centre distance 300 x 600 mm. Aluminium.
- Paar L-Türdrücker. Achsenabstand 300 x 600 mm. Aluminium.



Deurgrepen met sleutel

POIGNÉES DE PORTE AVEC CLÉ - HANDLES WITH KEY - EDELSTAHL TÜRDRÜCKER MIT SCHLÜSSEL



art. 500W 51

- Dubbele deurgreep met slot. Sleutel-sleutel.
L = 1500 mm. RVS. Ø 35 mm.
- Paire de poignées avec serrure. Clé-clé.
L = 1500 mm. Inox. Ø 35 mm.
- Pair of handles with lock. Key-key.
L = 1500 mm. Stainless steel. Ø 35 mm.
- Paar gerade Türdrücker. Schlüssel-Schlüssel. L = 1500 mm.
Edelstahl. Ø 35 mm.



art. 500W 50

- Dubbele deurgreep met slot. Sleutel-knop.
L = 1500 mm. RVS. Ø 35 mm.
- Paire de poignées avec serrure. Clé-pommeau.
L = 1500 mm. Inox. Ø 35 mm.
- Pair of handles with lock. Key-knob.
L = 1500 mm. Stainless steel. Ø 35 mm.
- Paar gerade Türdrücker. Schlüssel-Knopf.
L = 1500 mm. Edelstahl. Ø 35 mm.



art. 501W 50

- Dubbele deurgreep met slot. Sleutel-knop.
L = 2200 mm. RVS. Ø 35 mm.
- Paire de poignées avec serrure. Clé-pommeau.
L = 2200 mm. Inox. Ø 35 mm.
- Pair of handles with lock. Key-knob.
L = 2200 mm. Stainless steel. Ø 35 mm.
- Paar gerade Türdrücker. Schlüssel-Knopf.
L = 2200 mm. Edelstahl. Ø 35 mm.